

Group A Physician's Evaluations

Sub No.	Phalen's Test			Result
	Baseline	Week 1	Week 2	
1	-	-	-	NS
3	15 sec	15 sec in all digits	15 sec D3 and tips of all	same
7	30 sec	10 sec in D2, D4	20 sec	same
9	-	30 sec in D2, D3	15 sec D1, D2	NS
11	10 sec	10 sec in all digits	15 sec D1, D2, D3	same
13	30 sec	E, 45 sec in D3, D4	45 sec D3, D4	improved
15	30 sec	25 sec in D2, D3, D4	-	improved
17	5 sec in D1, D2, D3, and D4	15 sec in all digits	20 sec D1, D2	improved
19	2 sec in palm, thumb, finger tips	15 sec in all digits	10 sec all digits	same
21	-	-	15 sec D2	NS
23	30 sec	50 sec	40 sec	same
25	E, 15 sec in D3, D4, D5	E, 20 sec in D4, D5	25 sec D5 only	improved
27	30 sec, pain, numbness	-	30 sec	same
29	45 sec in D3, D4	drop	drop	drop
31	30 sec in all digits	15 sec	15 sec D4, D5	worse
33	15 sec	30 sec	15 sec tips of digits only	same

TOTALS
 worse 1
 improved 4
 same 7
 NS 3

Sub No.	Phalen's Test			Result
	Baseline	Week 1	Week 2	
1	30 sec, tingling	-	-	improved
3	15 sec	15 sec in all digits	15 sec D3 and tips of all	same
7	-	25 sec in D1, D5	35 sec	NS
9	30 sec in D2, D3, D4	-	15 sec D1, D2	same
11	15 sec	20 sec in D1, D2	30 sec all digits	improved
13	-	-	-	NS
15	15 sec	15 sec in D2, D3, D4	15 sec D3, D4, D5	same
17	30 sec in D1, D2, and D3	30 sec in all digits	15 sec D1	same
19	-	45 sec in all digits	-	NS
21	30 sec in D2	-	30 sec D2, D3	same
23	30 sec	25 sec	30 sec	same
25	E, 15 sec in D3, D4, D5	E, 20 sec in D4, D5	25 sec D5 only	improved
27	-	-	-	NS
29	E, 55 sec in D4	drop	drop	drop
31	30 sec in all digits	15 sec	-	improved
33	-	30 sec	15 sec tips of digits only	NS

TOTALS
 worse 0
 improved 4
 same 6
 NS 5

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyelogram

- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group A Physician's Evaluations

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
1	-	-	-	NS
3	+	E in D2, D3, D4	D3, D4, D5	same
7	+	E in D1, D3, D5	+	same
9	-	+	+	NS
11	Nocturnal paresthesis	-	+	same
13	+	-	-	improved
15	E in D5	E in D4, D5	-	improved
17	+	+	+	same
19	+	D2	+	same
21	-	-	-	NS
23	-	-	-	NS
25	E in D4, D5	E in D5	D5	same
27	+	D4, D5	-	improved
29	-	drop	drop	drop
31	+	-	-	improved
33	+	+	D2, D3, D4, D5 tips of digits	same

TOTALS	
worse	0
improved	4
same	7
NS	4

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
1	-	E in D3, D4 (improved)	-	NS
3	+	E in D3, D4	D3, D4, D5	same
7	+	+	-	improved
9	-	-	-	NS
11	E	+	-	improved
13	-	-	-	NS
15	E in D5	E in D4, D5	D3, D4, D5	same
17	E	+	+	same
19	-	-	-	NS
21	+	-	-	improved
23	+	+	-	improved
25	E in D4, D5	E in D5	D5	same
27	-	-	-	NS
29	-	drop	drop	drop
31	-	-	-	NS
33	-	+	D3, D4	NS

TOTALS	
worse	0
improved	4
same	4
NS	7

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyelogram

- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group A Physician's Evaluations

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
1	-	-	-	NS
3	+	-	+	same
7	-	-	-	NS
9	-	-	-	NS
11	Nocturnal paresthesia	-	+	same
13	-	-	-	NS
15	-	-	-	NS
17	-	+	+	NS
19	+	-	+	same
21	-	-	-	NS
23	-	-	-	NS
25	-	-	-	NS
27	-	+	-	NS
29	-	drop	drop	drop
31	-	-	-	NS
33	+	-	-	improved

TOTALS	
worse	0
improved	1
same	3
NS	11

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
1	numbness in D4, D5	-	-	improved
3	+	+	+	same
7	-	+	-	NS
9	-	-	-	NS
11	-	+	-	NS
13	-	-	-	NS
15	-	+	+	NS
17	-	-	-	NS
19	-	-	-	NS
21	-	-	-	NS
23	-	-	-	NS
25	-	-	-	NS
27	-	-	-	NS
29	-	drop	drop	drop
31	-	-	-	NS
33	+	-	-	improved

TOTALS	
worse	0
improved	2
same	1
NS	12

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyelogram

- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group A Physician's Evaluations

	Baseline	Week 1	Week 2
Subject No.	Comments	Comments	Comments
1	T: c/o intermittent numbness in D3, D4 with hyperextension of wrists		
3	T: c/o intermittent numbness/tingling in D1, D2, and D3 bilaterally (R=L)		
	P: L>R in all digits, D1, D2, and D3 > D4 and D5		
7	T: CTS diagnosed in 1994/95 without surgery		
9	T: L>R, low strength on L thumb (L Trigger thumb)		
11	T: Intermittent numbness/tingling in D1, D2, D3, D4, and D5 bilaterally (R>L). Ganglion cyst on the R wrist, radial aspect		
13	T: c/o NCV/EMG on R wrist to start physical therapy; intermittent numbness/tingling in D1, D2, and sometimes in D3		
15	T: Intermittent numbness/tingling on the L D1, D2, and D3 with hyperextension of the L wrist	T: L>R	T: L>R
	P: L>R		
17	T: R>L, c/o numbness at tips of D2, D3, D4, and D5 (R); the same on the L but not as bad.		Improved per patient
19	T: s/p CTS surgery (R) in December 1995; c/o numbness/tingling of the thumb and finger tips		
	P: Most of the pain is felt on palm and wrist		
21	T: R>L, c/o intermittent numbness/tingling in all digits with lifting/repetitive use (sweeping) (R>L)	P: Pain only decreased from last week	
23	T: L>R, NCV study result positive (L>R), intermittent numbness/tingling in D1, D2, D3, and D4 bilaterally (L>R)		
	P: L>R		
25	T: Bilateral CTS surgery in 1998, symptoms returning. Intermittent numbness/tingling in D2, D3, D4, and D5 (L>R)		
27	T: Diagnosed with CTS in 1999 (R>L), treated with physical therapy, still has symptoms, c/o intermittent numbness in all digits with repetitive use		
29	T: Numbness in D3 and D4 (R>L), increased with lifting	drop	drop
31	T: R>L, Four years working with tools that vibrate		
33	T: c/o intermittent numbness/tingling in the R D1, D2, and D3 and in the L D3 and D4		

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyogram
- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group B Physician's Evaluations

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
2	-	drop	drop	drop
4	-	-	-	NS
8	+	-	-	worse
10	-	-	-	NS
12	-	-	-	NS
14	+	E in all digits	+	same
16	-	-	-	NS
18	-	-	-	NS
20	-	drop	drop	drop
22	-	+	-	NS
24	-	+/- tips of fingers	-	NS
26	-	+	-	NS
28	-	-	-	NS
30	+	mu	+	same
32	-	-	-	NS

TOTALS
worse 1
improved 0
same 2
NS 10

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
2	-	drop	drop	drop
4	+	+	+	same
8	-	-	-	NS
10	-	-	-	NS
12	-	+	-	NS
14	+	E in all digits	+	same
16	-	-	-	NS
18	-	-	-	NS
20	-	drop	drop	drop
22	-	-	-	NS
24	-	+	-	NS
26	-	-	-	NS
28	-	-	-	NS
30	-	mu	+	NS
32	+	-	D2, D3, D4, D5	same

TOTALS
worse 0
improved 0
same 3
NS 10

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyogram

- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group B Physician's Evaluations

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
2	D3	drop	drop	drop
4	+	-	-	improved
8	+	-	+	same
10	+	+	+	same
12	E in D4, D5	-	-	improved
14	+	E in all digits	+	same
16	+	+	+	same
18	+	E in D2, D3	+	same
20	Nocturnal paresthesia and in the morning	drop	drop	drop
22	mild CTS, nocturnal paresthesia	E in D4, D5	+	same
24	+/- 3rd	+/- tips of fingers	palm only	same
26	E in D5	D4, D5	D4, D5	same
28	+	+	+	same
30	+	mu	+	same
32	E in D3, D4, D5	+	D3, D4, D5	same

TOTALS
worse 0
improved 2
same 11
NS 0

Sub No.	Tinel's Sign			Result
	Baseline	Week 1	Week 2	
2	D3	drop	drop	drop
4	+	+	+	same
8	+	-	+	same
10	E	-	+	same
12	E in D4, D5	-	-	improved
14	+	E in all digits	tips of all digits	same
16	+	+	+	same
18	+	E in D2	D3, D4	same
20	Nocturnal paresthesia and in the morning	drop	drop	drop
22	mild CTS, nocturnal paresthesia	+	+	same
24	+/- tips of fingers	+	palm only	same
26	E in D5	-	-	improved
28	E in D4	-	-	improved
30	E in D3	mu	+	same
32	E in D3	-	-	improved

TOTALS
worse 0
improved 4
same 9
NS 0

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyogram

- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group B Physician's Evaluations

Sub No.	Phalen's Test			Result
	Baseline	Week 1	Week 2	
2	-	drop	drop	drop
4	30 sec	40 sec in D2, D5	40 sec D5	improved
8	5 sec in all digits	15 sec in all digits	15 sec D1	improved
10	10 sec in D1, D2, D3	30 sec in D1, D2, D3	25 sec D2, D3, D5	improved
12	E, 15 sec in D4, D5	20 sec in all digits	35 sec all digits	improved
14	5 sec in all digits	E, 15 sec in all digits	5 sec all digits	same
16	10 sec	15 sec	15 sec	same
18	10 sec in D2, D3	15 sec in D1, D2, D3	15 sec D1, D2, D3	same
20	15 sec	drop	drop	drop
22	20 sec in D1, D2, D3	20 sec	10 sec	worse
24	15 sec	10 sec in all digits	30 sec D2, D3, D4	improved
26	15 sec in D3, D4, D5	15 sec all digits	15 sec all digits	same
28	15 sec	15 sec	30 sec D1, D2	improved
30	40 sec in D2, D3	mu	15 sec	worse
32	30 sec in D1, D2, D3, D4	30 sec	25 sec all digits	same

TOTALS
worse 2
improved 6
same 5
NS 0

Sub No.	Phalen's Test			Result
	Baseline	Week 1	Week 2	
2	-	drop	drop	drop
4	15 sec	15 sec in D1, D4, D5	20 sec	same
8	15 sec in D1, D2,	25 sec in all digits	15 sec D1, D2, D3	same
10	20 sec in D1, D2, D3	-	50 sec D2, D3	improved
12	E, 15 sec in D4, D5	20 sec in all digits	30 sec D4, D5	improved
14	5 sec in all digits	E, 15 sec in all digits	5 sec all digits	same
16	30 sec	15 sec	15 sec	worse
18	20 sec in D2, D3	15 sec in D1, D2, D3	15 sec D1, D2, D3	same
20	10 sec	drop	drop	drop
22	25 sec in D3, D4, D5	30 sec	20 sec	same
24	15 sec	15 sec in D3, D4, D5	30 sec D2, D3, D4	improved
26	15 sec in D3, D4, D5	15 sec	15 sec all digits	same
28	E, 50 sec in D4, D5	30 sec in D4, D5	-	improved
30	20 sec in D3	mu	30 sec D4, D5	improved
32	30 sec in D1, D2, D3, D4	30 sec	25 sec all digits	same

TOTALS
worse 1
improved 5
same 7
NS 0

Key:

- + presence of symptoms
- absence of symptoms
- T Tinel's Sign
- P Phalen's Test
- R Right
- L Left
- E Equivocal (may or may not have CTS)
- CTS Carpal Tunnel Syndrome
- NCV Nerve Conduction Velocity
- EMG Electromyogram

- NS No baseline symptoms
- c/o Complaints of
- s/p Status post
- D1 Digit Number 1
- D2 Digit Number 2
- D3 Digit Number 3
- D4 Digit Number 4
- D5 Digit Number 5

Group B Physician's Evaluations

	Baseline	Week 1	Week 2
Subject No.	Comments	Comments	Comments
2	T: c/o tingling in the morning for one hour on the D3, D4, and D5 bilaterally	drop	drop
4	T: s/p CTS surgery (L and R) in 1999; still having symptoms (L>R)	T: L>R	
	P: L>R		
8	T: c/o numbness/tingling in all digits (R>L)	T: R>L	T: L>R
10	T: R>L, NCV diagnosed with CTS. Intermittent numbness/tingling in D1, D2, and D3, bilaterally (R>L)	T: R>L	
12	T: R=L with hyperextension. Complaints of numbness in all digits		
14	T: L>R, increased burning sensation/numbness/tingling in all digits in the morning		
16	T: R>L, c/o numbness/tingling in D1, D2, and D3 (R>L)	P: Worse than last week	
18	T: R>L in D2, D3, and D4, numbness/tingling in the R and D2 and D3 on the L.		
20	T: L>R, diagnosed with NCV, no surgeries yet, intermittent numbness/tingling in D1, D2, D3, and D4 bilaterally (L>R)	drop	drop
	P: L>R		
22	T: NCV bilaterally,, intermittent numbness/tingling in all digits		
24	C/O bilateral joint pain in both hands with increased work load		
26	T: Works with vibration tools, c/o of bilateral wrists pain with numbness in the morning in D4 and D5 bilaterally	P: All fingers on tips only	
28	T: Diagnosed with CTS in 1993 (R>L), intermittent numbness/tingling in whole hand (R>L)		
30	T: Diagnosed with CTS in 1992 (R>L) with NCV/EMG, c/o numbness in D1 and D2 (R>L).	mu	
32	T: c/o pain in R wrists/fingers with use, intermittent numbness in finger tips		

Key:

- | | | | |
|-----|-------------------------------------|-----|----------------------|
| + | presence of symptoms | | |
| - | absence of symptoms | | |
| T | Tinel's Sign | NS | No baseline symptoms |
| P | Phalen's Test | c/o | Complaints of |
| R | Right | s/p | Status post |
| L | Left | D1 | Digit Number 1 |
| E | Equivocal (may or may not have CTS) | D2 | Digit Number 2 |
| CTS | Carpal Tunnel Syndrome | D3 | Digit Number 3 |
| NCV | Nerve Conduction Velocity | D4 | Digit Number 4 |
| EMG | Electromyelogram | D5 | Digit Number 5 |

Group A Self-evaluation

Subject Number	Week		Difference	Week		Difference	Week		Difference	Week		Difference	Week		Difference	Week 1	Week 2	Difference	Week 1	Week 2	Difference
	1	2		1	2		1	2		1	2		1	2		Symptoms Improved by %	Symptoms Improved by %		Symptoms Worsened by %	Symptoms Worsened by %	
	Symptom A			Symptom B			Symptom C			Symptom D			Symptom E								
1	3	4	1	3	5	2	4	5	1	4	4	0	4	5	1	30	50	20	40	0	-40
3	4	2	-2	4	3	-1	4	3	-1	3	3	0	4	3	-1	10	0	-10	0	2	2
5	EXCLUDED																				
7	3	3	0	4	2	-2	3	3	0	3	3	0	4	4	0	15	10	-5	0	0	0
9	0	4	4	4	3	-1	0	4	4	4	0	5	5	1	5	40	35	0	0	0	0
11	4	4	0	4	4	0	4	4	0	3	3	0	4	4	0	10	20	10	0	0	0
13	4	3	-1	3	3	0	4	4	0	3	3	0	3	4	1	10	10	0	0	0	0
15	4	4	0	3	3	0	4	3	-1	3	4	1	4	4	0	20	10	-10	0	0	0
17	3	4	1	4	3	-1	3	4	1	3	4	1	4	4	0	15	25	10	0	0	0
19	3	3	0	1	1	0	3	3	0	3	3	0	3	3	0	0	0	0	0	0	0
21	4	3	-1	3	3	0	4	3	-1	3	3	0	4	3	-1	30	0	-30	0	0	0
23	4	4	0	4	3	-1	4	4	0	5	4	-1	3	4	1	25	50	25	0	0	0
25	4	4	0	5	4	-1	4	4	0	3	3	0	4	4	0	30	50	20	0	0	0
27	4	4	0	3	4	1	4	4	0	4	3	-1	4	4	0	15	15	0	0	0	0
29	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X
31	3	4	1	4	4	0	4	3	-1	3	4	1	2	4	2	20	50	30	0	0	0
33	4	2	-2	2	3	1	2	2	0	2	3	1	4	4	0	2	3	1	0	2	2
	Improved	4	Improved	3	Improved	3	Improved	5	Improved	5	Improved	8	Improved	8	Improved	8	Improved	2			
	the same	7	the same	6	the same	8	the same	8	the same	8	the same	8	the same	3	the same	3	the same	12			
	worse	4	worse	6	worse	4	worse	2	worse	2	worse	4	worse	4	worse	4	worse	1			
	incomplete	1	incomplete	1	incomplete	1	incomplete	1	incomplete	1	incomplete	1	incomplete	1	incomplete	1	incomplete	1			
	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15			

Key: X Incomplete data
Symptoms A Daytime aches and pain
B Nighttime aches and pain
C Numbness and tingling
D Range of motion
E Comfort and Function
Grading Scale 1 Markedly worse
2 Slightly worse
3 No change
4 Slight improvement
5 Marked improved

% change	Week 1	Week 2	Week 1	Week 2
	% Improved	% Improved	% Worsened	% Worsened
0	1	3	14	13
0-20	10	6	0	2
21-40	4	2	1	0
41-60	0	4	0	0
61-80	0	0	0	0
81-100	0	0	0	0

Group B Self-evaluation

Subject Number	Week		Difference	Week		Difference	Week		Difference	Week		Difference	Week		Difference	Week 1	Week 2	Difference	Week 1	Week 2	Difference
	1	2		1	2		1	2		1	2		1	2		Symptoms Improved by %	Symptoms Improved by %		Symptoms Worsened by %	Symptoms Worsened by %	
	Symptom A			Symptom B			Symptom C			Symptom D			Symptom E								
2	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X
4	3	3	0	3	3	0	3	3	0	3	3	0	3	2	-1	0	0	0	2	0	-2
6	EXCLUDED																				
8	3	3	0	3	3	0	3	3	0	3	3	0	3	3	0	0	0	0	0	0	0
10	3	2	-1	3	2	-1	2	2	0	3	3	0	3	3	0	0	0	0	0	25	25
12	2	3	1	2	3	1	3	4	1	3	3	0	2	4	2	0	10	10	20	0	-20
14	2	3	1	4	4	0	3	3	0	3	3	0	3	3	0	0	0	0	0	0	0
16	2	2	0	3	3	0	3	2	-1	3	2	-1	3	2	-1	0	0	0	10	10	0
18	3	3	0	3	3	0	3	3	0	3	3	0	3	3	0	0	0	0	0	0	0
20	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X	DROP		X
22	1	1	0	1	1	0	1	1	0	1	1	0	1	1	0	0	0	0	50	60	10
24	2	3	1	3	3	0	3	3	0	3	3	0	3	3	0	0	0	0	0.1	0	-0.1
26	3	3	0	3	3	0	3	3	0	4	3	-1	3	3	0	0	0	0	0	0	0
28	3	3	0	3	2	-1	3	3	0	3	3	0	2	2	0	0	0	0	10	15	5
30	-	3	X	-	3	X	-	3	X	-	3	X	-	3	X	-	0	X	-	0	X
32	3	4	1	3	3	0	3	3	0	3	3	0	3	3	0	0	0	0	0	0	0

Improved	4	Improved	1	Improved	1	Improved	0	Improved	1	Improved	1	Improved	1	Improved	1	Improved	1	Improved	3
the same	7	the same	9	the same	10	the same	10	the same	9	the same	11	the same	11	the same	11	the same	11	the same	6
worse	1	worse	2	worse	1	worse	2	worse	2	worse	0	worse	0	worse	0	worse	0	worse	3
incomplete	3	incomplete	3	incomplete	3	incomplete	3	incomplete	3	incomplete	3	incomplete	3	incomplete	3	incomplete	3	incomplete	3
TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15	TOTAL	15

Key: X Incomplete data
Symptoms A Daytime aches and pain
B Nighttime aches and pain
C Numbness and tingling
D Range of motion
E Comfort and Function
Grading Scale 1 Markedly worse
2 Slightly worse
3 No change
4 Slight improvement
5 Marked improved
- no response

% change	Week 1	Week 2	Week 1	Week 2
	% Improved	% Improved	% Worsened	% Worsened
0	12	12	6	9
0-20	0	1	5	2
21-40	0	0	0	1
41-60	0	0	1	1
61-80	0	0	0	0
81-100	0	0	0	0

Group A - Week 2 - Self-Assessment Questionnaire

Subject Number	Self-Assessment										Overall Symptoms		Glove Rating		
	A	B	C	D	E	F	G	H	I	J	Symptoms Improved by %	Symptoms Worsened by %	Comfort	Effectiveness	Appearance and Design
1	4	4	3	3	3	5	5	4	-	-	80	0	5	5	5
3	-	-	-	-	-	-	-	-	-	-	0	2	2	1	2
5	EXCLUDED										EXCLUDED				
7	3	2	3	3	2	1	1	2	-	-	10	0	2	3	5
9	4	4	5	5	4	5	4	5	-	-	40	0	4	4	3
11	4	4	3	4	4	3	4	4	-	-	15-20	0	3	3	4
13	3	3	3	3	3	3	3	4	4	4	10	0	4	4	4
15	4	3	3	3	4	3	3	3	-	-	10	0	4	3	2
17	3	3	3	3	4	2	3	3	3	3	25	0	3	3	3
19	3	3	3	1	1	1	1	1	1	1	0	0	1	1	3
21	4	4	3	4	3	4	3	4	5	3	30	0	4	2	3
23	3	3	3	2	3	2	2	2	3	3	50	0	4	4	4
25	3	3	3	4	3	4	3	3	3	3	50	0	4	4	4
27	4	4	4	4	4	3	4	4	4	4	15	0	4	4	5
29	DROP										DROP				
31	4	3	4	5	2	2	3	4	5	5	50	0	4	4	4
33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
total	46	43	43	44	40	38	39	43	28	26	370	2	48	45	51
average	3.54	3.31	3.31	3.38	3.08	2.92	3	3.31	3.5	3.25	28.46	0.14	3.43	3.21	3.64

Total Poor	0	0	0	1	1	2	2	1	1	1		Total Poor	1	2	0
Total Fair	0	1	0	1	2	3	1	2	0	0		Total Fair	2	1	2
Total Good	6	7	10	5	5	4	6	3	3	4		Total Good	2	4	4
Total V. Good	7	5	2	4	5	2	3	6	2	2		Total V. Good	8	6	5
Total Excellent	0	0	1	2	0	2	1	1	2	1		Total Excellent	1	1	3
Total answers	13	13	13	13	13	13	13	13	8	8		Total answers	14	14	14

Symptom % change	% Improved	% Worsened
0	2	13
1-20	5	1
21-40	2	0
41-60	4	0
61-80	1	0
81-100	0	0
No response	1	1

Key:

- Evaluation
- A Dressing and undressing, including buttoning a shirt or blouse and managing a hook
 - B Tying a knot, shoelaces, etc.
 - C Driving
 - D Holding/lifting objects
 - E Household chores, i. e., washing dishes
 - F Opening or closing jars, bottles, etc.
 - G Writing
 - H Operating appliances or tools that impact/vibrate
 - I Occupation
 - J Hobbies
- Grading scale
- 1 markedly worse
 - 2 slightly worse
 - 3 no change
 - 4 slight improvement
 - 5 marked improvement
 - no response

Glove Grading Scale

- 1 poor
- 2 fair
- 3 good
- 4 very good
- 5 excellent

Group B - Week 2 - Self-Assessment Questionnaire

Subject Number	Self-Assessment										Overall Symptoms		Glove Rating		
	A	B	C	D	E	F	G	H	I	J	Symptoms Improved by %	Symptoms Worsened by %	Comfort	Effectiveness	Appearance and Design
2	DROP										DROP				
4	3	3	3	2	3	2	2	2	2	2	0	2	-	-	-
6	EXCLUDED										EXCLUDED				
8	4	4	3	4	3	3	4	-	4	3	10	0	-	-	-
10	2	2	3	2	2	1	2	2	1	2	0	25	-	-	-
12	3	4	3	3	3	2	2	3	2	2	2	0	-	-	-
14	3	3	3	3	3	3	3	3	3	3	0	0	-	-	-
16	2	2	3	2	3	2	3	3	2	3	0	10	-	-	-
18	3	3	-	3	3	3	3	3	3	3	0	0	-	-	-
20	DROP										DROP				
22	2	2	3	1	1	1	1	1	3	1	0	60	-	-	-
24	3	3	3	3	3	3	3	3	3	-	0	0	-	-	-
26	3	3	3	3	3	3	3	3	3	3	0	0	-	-	-
28	2	3	3	2	3	2	2	3	2	3	0	15	-	-	-
30	3	3	3	3	3	3	3	3	3	3	0	0	-	-	-
32	3	3	3	3	3	3	3	3	3	1	0	0	-	-	-
total	36	38	36	34	36	31	34	32	34	29	12	112			
average	2.77	2.92	3	2.62	2.77	2.38	2.62	2.67	2.62	2.42	0.92	8.62			

Total Poor	0	0	0	1	1	2	1	1	1	2
Total Fair	4	3	0	4	1	4	4	2	4	3
Total Good	8	8	12	7	11	7	7	9	7	7
Total V. Good	1	2	0	1	0	0	1	0	1	0
Total Excellent	0	0	0	0	0	0	0	0	0	0
Total answers	13	13	12	13	13	13	13	12	13	12

Symptom % change	% Improved	% Worsened
0	11	8
1-20	2	3
21-40	0	1
41-60	0	1
61-80	0	0
81-100	0	0
No response	0	0

- Key:
- Evaluation
- A Dressing and undressing, including buttoning a shirt or blouse and managing a hook
 - B Tying a knot, shoelaces, etc.
 - C Driving
 - D Holding/lifting objects
 - E Household chores, i. e., washing dishes
 - F Opening or closing jars, bottles, etc.
 - G Writing
 - H Operating appliances or tools that impact/vibrate
 - I Occupation
 - J Hobbies
- Grading scale
- 1 markedly worse
 - 2 slightly worse
 - 3 no change
 - 4 slight improvement
 - 5 marked improvement
 - no response

Glove Evaluation

Sub. No.	Will probably buy	Will definitely buy	Will probably not buy	Will definitely not buy
1		+		
3				+
5	EXCLUDED			
7	+			
9		+		
11	+			
13	+			
15	+			
17	+			
19				+
21	+			
23	+			
25	+			
27	+			
29	DROP			
31			+	
33	+			
TOTAL	10	2	1	2

+ = box checked on questionnaire